

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1 (currently amended)      An in-mold labeled, blow-molded article formed from high density polyethylene, the label being formed from a biaxially oriented polypropylene based film having a shrinkage of at least 4% in both the machine and transverse directions as measured by the OPMA shrink test ~~in which the film is suspended in an oven at 130°C for a period of 10 minutes,~~ said film comprising at least one layer, said at least one layer being a polyolefin layer.

Claim 2 (original)      An article according to claim 1, wherein the shrinkage of the film in the transverse direction is at least 5%.

Claim 3 (previously amended)      An article according to claim 1, wherein the shrinkage of the film in the transverse direction is at least 6%.

Claim 4 (previously amended)      An article according to claim 1, wherein the

shrinkage of the film in the machine direction is at least 5%.

Claim 5 (previously amended) An article according to claim 1, wherein the shrinkage of the film in the machine direction is at least 6%.

Claim 6 (previously amended) An article according to claim 1, wherein the film comprises a polypropylene homopolymer base layer with at least one outer layer thereon.

Claim 7 (currently amended) An article according to claim 6, wherein the outer layer ~~or layers~~ comprises a heat sealable polymer.

Claim 8 (previously amended) An article according to claim 6, wherein the base layer contains a hydrogenated hydrocarbon resin.

Claim 9 (previously amended) An article according to claim 1, wherein the film comprises a base layer comprising a propylene homopolymer, at least one intermediate polyolefin layer on the base layer, and an outer layer on the intermediate layer.

Claim 10 (currently amended) An article according to claim 9, wherein the base layer ~~or the intermediate layer~~ contains a hydrogenated hydrocarbon resin.

Claim 11 (canceled)

12. (previously added) An article according to claim 9, wherein the base layer and the intermediate layer contain a hydrogenated hydrocarbon resin.

13. (currently amended) ~~An article according to claim 9~~ An in-mold labeled, blow-molded article formed from high density polyethylene, the label being formed from a biaxially oriented polypropylene based film having a shrinkage of at least 4% in both the machine and transverse directions as measured by the OPMA shrink test, said film comprising a base layer and an outer layer, wherein the said outer layer or layers comprises a heat sealable polymer.

14. (currently amended) ~~An article according to claim 9, wherein the polypropylene homopolymer layer comprises~~ An in-mold labeled, blow-molded article formed from high density polyethylene, the label being formed from a biaxially oriented polypropylene based film having a shrinkage of at least 4% in both the machine and transverse directions as measured by the OPMA shrink test, said film comprising a base layer and an intermediate layer, at least one of said layers comprising a filler.

15. (currently amended) An article according to claim 9 14, wherein the filler is a pigment or a voiding agent.

16. (new) An article according to claim 13, further including an intermediate layer disposed between said base layer and said outer layer.

17. (new) An article according to claim 16, wherein said intermediate layer is a polyolefin layer.

18. (new) An article according to claim 14, wherein said intermediate layer is a polyolefin layer.

19. (new) An article according to claim 18, further including an outer layer formed on said intermediate layer.

20. (new) An article according to claim 9, wherein the intermediate layer contains a hydrogenated hydrocarbon resin.

